What is your landscape's current WET? NORWAL? Tell us by submitting a "CoCoRaHS Condition Report"







Dry Normal Wet

A Guide to Monitoring your Local Conditions











REPORTING LANDSCAPE CONDITIONS AT YOUR LOCATION

Welcome to our short tutorial on "Condition Monitoring" This short slide show will help you understand the difference between the varying conditions of your landscape . . . wet, normal, dry and in-between. It will also discuss their impacts. We will show how to file a "condition report" via the CoCoRaHS Website. Finally, we will review our Mapping System and Condition Monitoring Summary Reports



CONDITION MONITORING

To understand the impacts of drought on plants, animals, and people, it is very helpful to monitor conditions regularly, whether the weather is wet or dry. This allows us to see how a drought year differs from a normal year, and we learn how different plants, animals and people respond to the onset, intensification, and recovery of drought.

Regular condition monitoring can also help identify expected seasonal changes versus changes caused by unseasonably wet or dry conditions.

This type of monitoring can also help to identify long-term or cumulative effects of drought.

CONNECTING WEATHER AND CLIMATE WITH THE ENVIRONMENT

Your knowledge about the local environment and how weather influences it can reveal much more than can be learned from recording daily rainfall alone.





GUIDANCE ON CHANGING CONDITIONS

Changing conditions - the following slides will talk about seven different, but somewhat similar categories over the range of dry, normal and wet, while giving you guidance on how to distinguish between each category. Local conditions will change from wetter to drier, or drier to wetter, with varying amounts of rain or snowfall, or as seasons change. A lack of rainfall may lead to drier conditions more quickly in warmer summer months. In the case of an extreme event such as a hurricane or tropical storm, conditions may transition more quickly (e.g., moderately dry to severely wet).



SEVEN CATEGORIES

MILDLY DRY
MODERATELY DRY
SEVERELY DRY

NEAR NORMAL



MILDLY WET
MODERATELY WET
SEVERELY WET

DRY CONDITIONS
MILDLY DRY
MODERATELY DRY
SEVERELY DRY





MILDLY DRY

Growth may have slowed for plants, crops or pastures.

Local plants, pastures, or crops may have not fully recovered if conditions are changing from drier to wetter.

Soil is somewhat dry.

Precipitation or water deficits may be present.







MODERATELY DRY

Plants may be brown due to dry conditions.

Voluntary water use restrictions may be in place.

Plants, crops, or pastures may be stressed.

Streams, reservoirs, or well water levels may be low.

Water shortages may be present.

Soil is dry.









SEVERELY DRY

Soil moisture is absent.

Ponds, lakes, steams and wells may be nearly empty or dry.

Mandatory water restrictions may be in place.

Crop or pasture losses may be experienced.


Water shortages or water emergencies are present or possible.







IS THIS DROUGHT?



Several regions across the country go through "normal dry periods" each year. This is not considered drought. Drought will look different depending on the location and region of the country.

NEAR NORMAL CONDITIONS

NEAR NORMAL

Observed conditions are expected for this time of year.







WET CONDITIONS
MILDLY WET
MODERATELY WET
SEVERELY WET







MILDLY WET

Local plants, crops, or pastures are healthy, recovering from dry conditions or draining from wet conditions.

Soil moisture is above normal.





MODERATELY WET

Local plants, crops, or pastures are healthy and lush.

Soil is very damp.



Standing water may be present in low areas and ditches.

Water bodies may be slightly more full than normal.

The ground is partially saturated with water.





SEVERELY WET

Water bodies are very elevated.

Flooding may be present, leading to plant, crop, or pasture damage.

Standing water is severe and abundant.

Soil is wet.

Ground is completely saturated with water.








TIME TO FILE A REPORT

It's very easy to do . . . Just observe, then report!





Report

Observe

HOW OFTEN SHOULD I FILE A CONDITION MONITORING REPORT?

Great Question!


Weekly or as conditions change . . . It's up to you, but the more often you report, the better picture we'll get of your landscape's conditions. To be really helpful (see next slide) . . .





A HELPFUL REPORTING SUGGESTION

One idea to improve reporting consistency is to ask that you report conditions for a one week reporting period. In doing so you would submit reports on either Saturday or Sunday.



WHY SUBMIT REPORTS ON SATURDAYS AND SUNDAYS?

- This will ensure that up-todate information is available to US Drought Monitor authors, who review the information at the beginning of week in order to publish the Drought Monitor map on Thursdays.
- Having all observers submit condition monitoring reports on a weekly basis will also make condition reports more reliable and timely, thus more useful in scientific research.

Saturday/Sunday

• Volunteers submit reports

Friday

· Volunteers observe conditions

Monday

- Volunteers observe conditions
- US Drought Monitor authors review various sources of weather and climate information

CoCoRaHS Condition Monitoring

Thursday

- Volunteers observe conditions
- US Drought Monitor map released

Tuesday

- Volunteers observe condition
- US Drought Monitor authors review various sources of weather and climate information

Wednesday

• Volunteers observe conditions

HOW DO I FILE A "CONDITION MONITORING REPORT"?


First click on "My Data" from the menu at the top of the CoCoRaHS Web page



CHOOSE "CONDITION MONITORING REPORT" FROM THE "ENTER MY NEW REPORTS" PANEL

Enter My New Reports

- Daily Precipitation
- Multi-Day Accumulation
- Hail
- Significant Weather
- Monthly Zeros
- · Condition Monitoring
 - Report
- Soil Moisture
- Evapotranspiration




CONDITION MONITORING REPORT FORM

Condition Monitoring Report Form Submit Data Rese						Reset		
Station Number: CO-LR-610								
Station Name : Fort Collins 3.5 SW								
basis to sha environmer baseline to caused by training slid	are information at and society. see change th	about ti By subm rough tii recipitati	submitted on a reuse effects of local number of local number of the effects of the effects on the effects of th	al precip n a regula asonal dif	itation on the ar basis, you of ferences or ch	create a		
Report Date	*							
9/7/2017	\$							
Conditio	n Scale Bar Mo	re informati	on on the scale bar	Clear Sca	ale Bar			
Severely Dry	Moderately Dry	Mildly Dry	Near Normal	Mildly Moderately Severely Wet Wet Wet				
0	0	0	0	0	0	0		
Description								
your liveling	your livelihood, your activities, etc. *							
Report C	ategories							
supporting categories.	information in t		category. If you category. More in					
□ Agricultu□ Business□ Energy□ Fire	re s & Industry							
	esponse & Re		s					
□ Society & Public Health □ Tourism & Recreation □ Water Supply & Quality								
		_		1	Submit Data	Reset		

ENTER REPORT DATE

Condition	Monitoring R	eport Fo	<u>rm</u>		Submit Data	Reset
Station Nun	nber: CO-LR-	610				
Station Nam	ne: Fort Co	llins 3.5 S	W			
Condition m	nonitoring repo	orts are s	submitted on a r	egalar (w	eekly, biweek	ly, monthly)
basis to sha	are information	about th	ne effects of Loc	al precipi	itation on the	175
		•	nitting reports o	_		
		-	me such as sea			
	The state of the s		n. Please refe	r to the C	ondition Moni	toring
	e show for mo	re morn	nation.			
	required field					
Report Date						
9/6/2017	э					
Conditio	n Scale Bar Mo	ore information	on on the scale bar	Clear Sca	ale Bar	
Severely Dry	Moderately Dry	Mildly Dry	Near Normal	Mildly Wet	Moderately Wet	Severely Wet
0	0	0	0	0	0	0
Description						
	ride a descript ood, your activ		w dry, normal o	or wet cor	nditions are af	fecting you,

SELECT FROM THE CONDITION MONITORING SCALE BAR



The condition scale bar is used to provide a standardized form of condition reporting. You can select from one of the seven categories representing a range of dry, wet, or normal conditions.

There is a link to additional guidance to help you select from the different categories.



COMMUNITY COLLABORATIVE RAIN, HAIL & SNOW NETWORK

"Because every drop counts"



Home | Countries | States | View Data | Maps

My Data | My Account | Admin | Logout

Condition Monitoring Scale Bar

The Condition Monitoring Scale Bar provides a standardized form of condition reporting to allow for comparison between CoCoRaHS stations and to see change over time. Select the current status of conditions in your area from one of the 7 categories representing a range of dry, normal, or wet conditions. Local conditions will change from wetter to drier, or drier to wetter, with varying amounts of rain or snowfall, or as seasons change. A lack of rainfall may lead to drier conditions more quickly in warmer summer months. In the case of an extreme event such as a hurricane or tropical storm, conditions may transition more quickly (e.g., moderately dry to severely wet).

The guidance below is intended to help you distinguish between the different wet and dry categories. It was developed for an ongoing Drought Early Warning project in North and South Carolina supported by the National Integrated Drought Information System (NIDIS). Varying levels of wetness and dryness in other parts of the country (e.g., the arid Southwest) may not be well represented by the guidance provided below. CoCoRaHS observers outside of the Carolinas are encouraged to utilize the scale bar, selecting categories that best represent conditions in your part of the country. Users who review the reports you submit will also see the location of your CoCoRaHS station and will consider that when assessing the selected category.

Severely	Moderately	Mildly	Near Normal	Mildly	Moderately	Severely
Dry	Dry	Dry		Wet	Wet	Wet
0	0	0	•	0	0	0

Main Menu

- Home
- About Us
- Join CoCoRaHS
- · Contact Us
- Donate

Resources

- · FAQ / Help
- Education
- · Training Slide-Shows
- Videos
- · Condition Monitoring
- Evapotranspiration
- Soil Moisture
- Volunteer Coordinators
- Hail Pad
 Distribution/Drop-off
- Help Needed
- Printable Forms
- · The Catch
- · Message of the Day
- Publications
- CoCoRaHS Blog
- Web Groups

Severely	Moderately	Mildly	Near Normal	Mildly	Moderately	Severely
Dry	Dry	Dry		Wet	Wet	Wet
0	0	0	0	0	0	0

Dry Conditions	Normal Conditions	Wet Conditions
Mildly Dry	Near normal	Mildly Wet
 Soil is somewhat dry. Growth may have slowed for plants, crops, or pastures. Precipitation or water deficits may be present. Local plants, pastures, or crops may not have fully recovered if conditions are changing from drier to wetter. 	Observed conditions are expected for this time of year.	 Soil moisture is above normal. Local plants, crops, or pastures are healthy, recovering from dry conditions, or draining from wet conditions.
Soil is dry. Plants may be brown due to dry conditions. Plants, crops, or pastures may be stressed. Streams, reservoirs, or well water levels may be low. Water shortages may be present. Voluntary water use restrictions may be in place.		Soil is very damp. The ground is partially saturated with water. Standing water may be present in low areas and ditches. Local plants, crops, or pastures are healthy and lush. Water bodies may be slightly more full than normal.
Severely Dry Soil moisture is absent. Crop or pastures losses may be experienced. Ponds, lakes, streams, and wells may be nearly empty or dry. Mandatory water restrictions may be in place. Water shortages or water emergencies are present or possible.		Severely Wet Soil is wet. Ground is completely saturated with water. Standing water is severe and abundant. Water bodies are very elevated. Flooding may be present, leading to plant, crop, or pasture damage.

Further detail on the seven categories

WRITE A CONDITION MONITORING DESCRIPTION

Condition	Monitoring R	eport Fo	<u>rm</u>		Submit Data	Reset
Station Nun	nber: CO-LR-	610				
Station Nam	ne: Fort Co	llins 3.5 S	SW .	hw		
Condition monitoring reports are submitted on a regular (weekly, biweekly, monthly)						
basis to share information about the effects of local precipitation on the						
environmen	t and society.	By subm	nitting reports of	n a regula	ar basis, you c	reate a
baseline to	see change th	rough tir	ne, such as sea	asonal di	fferences or ch	nanges
		•	on. Please refe	r to the C	Condition Monit	toring
The state of the s	e show for mo		nation.			
* indicates	required field					
Report Date	*					
9/6/2017	÷					
Conditio	n Scale Bar Mo	ore information	on on the scale bar	Clear Sca	ale P.r	
Severely Dry	Moderately Dry	Mildly Dry	Near Normal	Mildly Wet	loderately Wet	Severely Wet
0	0	0	0	0	0	0
Description			1077			
Please prov	ide a descript	ion of ho	w dry, normal c	r wet cor	nditions are aff	ecting you,
	ood, your activ			1		
)

WRITING DESCRIPTIONS

When writing descriptions you can use the report categories as a guide:



Were there agricultural impacts this week?



Was business and industry affected?



Did you notice any public health impacts?



Was there fire?


- □ General Awareness
- □ Agriculture
- □ Business & Industry
- □ Energy
- □ Fire
- □ Plants & Wildlife
- □ Relief, Response & Restrictions
- □ Society & Public Health
- □ Tourism & Recreation
- □ Water Supply & Quality

OBSERVATION GUIDANCE

If possible, consistently report from specific locations:



Report on specific bodies of water



Report on specific plant life



Report on specific businesses

Please note the differences between your last report and the current conditions.

DESCRIPTION EXAMPLES



Madison County, NC – March 8, 2015: This has been a week of extremes – from a high of 73° to a low of 18° with a covering of snow and ice. The good news is that *definite signs of spring* are finally appearing. Song sparrows are starting to sing. Crocuses are blooming. And, best of all, *wood frogs have returned to our pond and laid eggs.* This is late. According to my records over 10 years, the average date for wood frogs coming to the pond is February 18.

Buncombe County, NC – November 30, 2015: We continue in the all or nothing weather pattern. 6" rain, a week of unseasonably warm and dry, 2" 15 days warm and dry and a quick 2 day cool down, and now 2+ precip again. In between the rain it has been alarming how quickly the streams and creeks go back to below normal levels. Birds are emptying the feeders quickly, and I am still seeing snakes, groundhogs and one bear sighting. We ate our thanksgiving dinner on the porch. sunsets and sunrises have been spectacular. Tourists are enjoying the warm dry spells for hiking and shopping. Farmers are shaking their heads! Most everyone has a sniffle - seasonal whiplash

MORE DESCRIPTION EXAMPLES

Pickens County, SC, April 20-June 10, 2014 – Incipient drought is now occurring in western Pickens County, SC. Except for a 3.14" single day rainfall on May 15, only 2.12" of rain has fallen during a 51 day span from April 20 to June 10. Irrigation has become an increasingly normal activity for both agriculture and (in my case) horticulture. Year to date rainfall at SC-PC-1 is only 20.71" or about 7 inches below normal.


Rio Grande County, CO, December 17, 2015 – In the last four weeks I have recorded only 0.02" of moisture. Without snow cover, crops started this fall suffer desiccation and vulnerability to winter kill. This coupled with laws preventing supplemental irrigation in winter has me concerned about my perennial and fall seeded crops.

DRY CONDITIONS

WET CONDITIONS

Nash County, NC, February 3, 2016 – Rain total for last week is 2.64. The creek (Flat Rock Branch) is back to normal. The Pond at Rocky Mount Memorial Park is full. Minor flooding last Friday in nearby fields. Minor flash flooding on roads last week. The daffodils are at their peak of flowering, brightening the yard with yellow flowers.

Richland County, SC, October 31, 2015 – Our station had 19.38" in October, almost 16" of which fell in the first six days. We've had 1.55" during the last five days of the month. Our neighborhood has plenty of springs, but they only appear when it's really wet. The neighborhood has "bled" all month, although only the most persistent springs are still active. We have one French drain that runs when it's really wet and it's still going strong, but it's drawing water from a foot or more under the surface.



LAST STEP: REVIEW THE CATEGORIES
AND CHECK ALL THAT APPLY

REPORT CATEGORIES

General Awareness Fire Agriculture
Energy Tourism and Recreation
Plants and Wildlife Business and Industry
Water Supply and Quality Relief, Response &
Society and Public Health Restrictions

Report Categories
Please check at least one report category. If you check a category, please provide supporting information in the description. More information on condition monitoring categories.
□ General Awareness
□ Agriculture
□ Business & Industry
□ Energy
□ Fire
□ Plants & Wildlife
Relief, Response & Restrictions
Society & Public Health
□ Tourism & Recreation
□ Water Supply & Quality
Submit Data Reset

GENERAL AWARENESS

The "General Awareness" option provides a box to check when conditions may not have changed or if the other report categories are not appropriate for the content of your report.

Ideas for what to monitor

- Precipitation measurements or other weather observations
- General reports about local conditions, events, or news
- Information from drought forecasts or monitoring assessments

AGRICULTURE

Varying precipitation conditions can effect agriculture, farming, aquaculture, horticulture, forestry and ranching.

Examples of agricultural impacts, including some backyard gardens may include: damage to crop quality; income changes for farmers due to reduced crop yields or abundant yields; reduced productivity of cropland; flooded fields; insect infestation; plant disease; increased/decreased irrigation costs; Changes in productivity of rangeland; forced reduction of foundation stock; closure/limitation of public lands to grazing; and high cost/unavailability of water for livestock, Christmas tree farms, forestry, raising domesticated horses, bees, fish/shellfish and horticulture.

Ideas for what to monitor

- Irrigated crop progress, appearance
- Unirrigated crop progress, appearance
- Availability or quality of forage or hay for livestock
- Availability of water for livestock
- Availability of water for irrigation

BUSINESS & INDUSTRY

Examples of precipitation/drought impacts affecting non-ag businesses, lawn care businesses, sales of recreational vehicles/other recreational gear or plant nurseries, etc.

Examples of precipitation-induced business impacts could include: physical damage due to flooding, reduction/loss of employees, change in sales/business, variation in number of calls for service, early closure/late opening for the season or vice-versa, bankruptcy, permanent store closure and economic impacts.

- Pounds of bait sold
- Number or quality of fish catch, or the need to diversify species or business activities
- Number of watercraft rented (canoes, kayaks, pontoon boats)
- Effects on landscaping business, such as number of plants replaced or planted, people employed
- Prices or availability of agricultural products
- High or low irrigation costs

ENERGY

Precipitation/drought effects which are associated with power production, electricity rates, energy revenue, and purchase of alternate sources of energy.

Examples include hydropower and non-hydropower production when affected by drought or flood, electricity rates, revenue shortfalls and/or windfall profits and the purchase of electricity when hydropower generation is down. Power outages due to severe weather or extreme events. Physical damage due to flooding.

- Needing to heat or cool your home when temperatures are colder or hotter
- Turning off the A/C or heat when temperatures are mild

FIRE

These include precipitation/drought effects contributing to forest, range, rural, or urban fires, fire danger, and burning restrictions.

Examples of fire impacts include: Increase of possible fuels during wet season, Enactment/easing of burning restrictions, fireworks ban, increased/decreased fire risk, occurrence of fire (# of acres burned, # of wildfires compared to average, people displaced, etc.), increase/decrease in fire fighting personnel, state of emergency during periods of high fire danger and the closure of roads land due to fire occurrence or risk. Increased potential for flooding and debris/rock/mud slides in and downstream of burn areas.

- Information about prescribed burns in your area
- Presence or absence of burn bans
- Wildfire

PLANTS & WILDLIFE

Wetness/drought effects which are associated with wildlife, fisheries, forests and other fauna.

Examples include: loss of biodiversity of plants or wildlife; health of trees, shelterbelts, wooded conservation areas; reduction and population of fish and wildlife; Variations of feed and drinking water; In drought conditions greater mortality due to increased contact with agricultural producers, as animals seek food from farms and producers are less tolerant of the intrusion; disease; change in vulnerability to predation (from species concentrated near water); migration and concentration (loss of wildlife in some areas and too many wildlife in other areas); Changes in stress to endangered species; and salinity levels affecting wildlife, wildlife encroaching into urban areas, loss or gain of wetlands.

- Height or density of natural vegetation, one particular plant or patch
- Presence or absence of a certain kind of plant, to include invasive species
- Landscape or garden plants, height, progression through growth cycles
 Ex: Frequency of lawn mowing
- Whether landscape or garden plants need watering
 - Ex: Brown spots on lawns
- How close wildlife are coming to human populations in search of food and water Ex: deer in yards Ex: Number of bears looking for food or water
- Number of animals species at a drinking water source
 - Ex: Number of birds species at birdbath or feeder
- Presence or absence of aquatic species at a favorite fishing hole; number or size of a certain species; number of species counted Presence or absence of mosquitoes, grasshoppers, other insects with lifecycles related to dry and wet weather

RELIEF, RESPONSE & RESTRICTIONS

Some precipitation/drought effects associated with disaster declarations, aid programs, requests for disaster declaration or aid due to flood or drought, water restrictions and fire restrictions.

Impacts include: Disaster declarations, aid programs, USDA Secretarial disaster declarations, SBA disaster declarations, government relief and response programs, state-level declarations or "state of emergency", county-level declaration or "state of emergency", requests for declarations or aid, non-profit organization based relief, water restrictions, flood or drought declarations, fire restrictions and declaration of drought watches/warnings.

- Presence or absence of burn bans, or fireworks bans
- Presence or absence of watering restrictions

SOCIETY & PUBLIC HEALTH

Precipitation/drought effects associated with the public and human health.

Examples of precipitation/drought-induced social impacts include: health-related problems, loss of human life (e.g., from heat stress, suicides, floods, drownings); increased respiratory ailments; mosquito and water borne illnesses; increased disease caused by wildlife concentrations; population migrations (rural to urban areas, migrants into the United States); loss of aesthetic values; change in daily activities, elevated stress levels, meetings to discuss flooding or drought, communities creating drought plans and flood mitigation and storm water management strategies, communities opening shelters, cancellation/alteration of events, festivals or holiday traditions, stockpiling water, public service announcements and drought/flood info websites.

- Water supply quality and quantity for human consumption: Need to haul or boil water
- Air quality related to dust, aerosols, smoke, or pollen: Whether outdoor activities are accessible or need to be curtailed due to air quality
- Mood: How do farmers, ranchers, neighbors, family, etc. sound when they talk about the weather? (i.e., normal, glad, amazed, depressed, scared, relieved)

TOURISM & RECREATION

Precipitation/drought effects associated with people's recreational activities and tourism.

Examples of tourism and recreation impacts include: public safety threats caused by flooding; water access or navigation problems for recreation; bans on recreational activities; reduced license, permit, or ticket sales (e.g. hunting, fishing, ski lifts, etc.); losses related to curtailed activities (e.g. bird watching, hunting and fishing, boating, etc.); reduced park visitation (trails closed due to flooding); delayed or early opening for ski resorts; increase/decrease in artificial snow generation; and cancellation or postponement of sporting events/tournaments.


- Water-based recreation: Number of people boating, canoeing, swimming, fishing at a certain spot
- Outdoor recreation: Number of people hiking, camping, etc.

WATER SUPPLY & QUALITY

Here are some precipitation/drought effects associated with water supply and water quality.

Dry and wet examples include: Dry wells, saturated septic leach fields, water restrictions, changes in water rates (usually drought), easing of water restrictions as conditions get wetter, increase in requests for new well permits, changes in water use, water demand, and water allocation/allotments. Installation/alteration of water pumps or water intakes, changes to allowable water contaminants, water line damage/repairs due to drought stress, drinking water turbidity, change in water color or odor, declaration of drought watches/warnings and mitigation activities. Runoff increasing pollution in lakes and streams.

- Water supply quality and quantity for human consumption:
 Need to haul or boil water
- Water quality and characteristics: Changes in taste, odor, color, chemical content (if a well is tested annually)
- Municipal supply: Voluntary or mandatory watering restrictions
- Availability of water for livestock
- Availability of water for irrigation



FINALLY CLICK ON THE SUBMIT DATA BUTTON TO FILE YOUR REPORT

CONGRATULATIONS!

YOU'VE JUST FILED A CONDITION REPORT!



IT'S PRETTY SIMPLE AND GETS EASIER THE MORE OFTEN YOU FILE ONE

WHO WILL USE MY CONDITION REPORTS?


They will be used by many entities interested in climate and landscape conditions.
















ADDITIONAL TOOLS

Condition Monitoring Summary Reports



The Interactive Web Map










USING THE WEB MAP



The web map is a tool intended to depict local, community-level conditions and how recent weather and climate events have affected those communities. Volunteer observers provide weekly reports through the Community Collaborative Rain, Hail, and Snow (CoCoRaHS) network website. The web map spatially displays the reports and provides the current US Drought Monitor Map that can be used in the monitoring of drought onset, intensification, and recovery.


Regard of Street Any ordination Machinery The street Any ordination of the street Any ordina

Click the image to learn more

CoCoRaHS Data


The condition monitoring web map is designed to work primarily with CoCoRaHS condition monitoring data.

This data includes qualitative descriptions of local conditions reported by observers, "Condition Monitoring Reports". Click the observer point location in the web map to read the condition report in a pop up. Filter reports by searching keywords, counties, station number, and report category in the left "Reports of Interest" box. Only the reports currently displayed on the map can be searched.




Time Slider

The slider at the bottom of the map can be used to view reports and the US Drought Monitor Map on a weekly basis. When you open the web map, the last 7 days of reports will be displayed. Use the time slider at the bottom of the page to view reports from previous weeks. Weeks start Tuesday and end Monday. CoCoRaHS volunteers are asked to submit their reports Saturday, Sunday, and Monday so that they can be considered for the US Drought Monitor on Tuesday.



Click the image to learn more



Condition Monitoring * service * frames * layer * frames * service * frames * fr

Click the image to learn more

Map Controls

There are numerous ways to interact with the map. The side bar allows users to toggle map layers on and off and the zoom buttons at the side of the map enable users to see a more specific area of the map. The top of the map provides options to give feedback, view legends explaining the map symbols, and submit your own condition monitoring report. All of the report data can be downloaded as a .csv file and queried using computer software such as Microsoft Excel. Alternatively, the CoCoRaHS data website has a query box for searching reports by station, location, category, and date. More download options are currently under construction.




U.S. Drought Monitor


The National Drought Mitigation Center (NDMC) publishes a weekly report of US drought conditions through the U.S. Drought Monitor (USDM). It is jointly produced by NDMC at the University of Nebraska-Lincoln, the US Department of Agriculture, and the National Oceanic and Atmospheric Administration (NOAA). The USDM map is available as a layer in the web map, allowing a comparison of condition monitoring reports with USDM drought designations. Use the time slider to sort through weekly time intervals.



Click the image to learn more




CONDITION MONITORING SUMMARY REPORTS




You can generate reports by using the station number or name or by location

CONDITION MONITORING REPORT SCALE BAR VALUE FREQUENCY DISTRIBUTION




This chart displays observers' scale bar selections for each week. The chart can give the viewer an idea of how conditions might have changed from dry to wet, or wet to dry, for the selected geographic scale (i.e., nation, state, county, or individual station). The wet and dry values from the condition monitoring scale bar have been grouped in this chart. That is to say, all reports with scale bar selections of either mildly dry, moderately dry, or severely dry are represented by the "dry" category in this chart.

CONDITION MONITORING REPORT SCALE BAR VALUE AS A PERCENTAGE OF TOTAL




This chart displays observers' scale bar selections as a percentage of the total number of reports submitted for that week. For instance, if there were 10 reports submitted for a single state in a given week with 5 reports indicating dry conditions, 2 reports indicating wet conditions, and 3 reports indicating near normal conditions, the chart would display 50% dry, 20% wet, and 30% near normal values for that week. This chart can give the user a sense of change in conditions over time as observer selections change from wet to dry or dry to wet.

WEEKLY CONDITION MONITORING SCALE BAR VALUES



This chart shows the wettest and driest weekly scale bar selections for the chosen geographic scale (i.e., nation, state, county, or individual station). The Average Value graphed line helps visualize when scale bar selections are predominantly wet or predominantly dry.

CONDITION MONITORING WEEKLY CATEGORY COUNTS



This chart displays which of the ten report categories observers selected to indicate the type of information included in their condition monitoring report.

TABLE OF WEEKLY SUMMARIES



You will find this table helpful as a summary of Condition Monitoring reports over time with weekly summaries of report, category and value counts.

WE LOOK FORWARD TO YOUR CONDITION REPORTS IN THE NEAR FUTURE!

With all the extra "CoCoRaHS eyes and ears" out there you can make a real difference though condition monitoring! Thanks so much!!





Thanks to our sponsors











THE END

Click on your "back browser" button to return to "Condition Monitoring Reporting Resources"

